


Welcome to the Kwikset family!

This guide will get you ready to install your new knob.

If you have any issues, please visit our support center: kwikset.com/support or call us at 1-800-327-5625.

***Tools**



*Tools will depend on install type

[Door Prep:](#) If you need help in preparing your door

[Drilling template:](#) If you need help in drilling your door

This manual can be used to install a variety of knobs.

For installation instruction for the below designs, follow directions on **page 2**.



Polo



Cove



Tylo



Juno



Maven



Abbey

For installation instruction for the below designs, follow directions on **page 6**.



Arroyo



Pismo



Sora





1 Separate knobs (if pre-assembled) If installing a non-rotating knob, skip to step 2

A



B

Twist the side with the holes.



C

Set knobs aside until **step 4**.

2 Adjust the backset of the latch (if needed)

A


Hold the latch in front of the door hole, with the latch face flush against the door edge.



B

If the latch holes are centered in the door hole, no adjustment is required. Proceed to step 3.



If the latch holes are **NOT** centered, adjust latch. See “Latch Adjustment” (step 2C).



C

Latch Adjustment (only if needed)

Move the pin to extend the latch.




3 Install latch




or



A




⚠ slant of latch bolt faces door frame




door frame

B




A

Remove plates




B

Install drive-in collar




C

Use hammer and wood block to tap in latch without damaging it.



⚠ slant of latch bolt faces door frame



wood block


door frame

4 Install Passage/Privacy knobs


A



IMPORTANT: If installing a passage lock on an entry door, make sure the knob with the screw holes is on the interior side of the door.




interior



Press latch bolt to install knob.

B


Align round edges.



exterior


C

Ensure holes are horizontal.




D

Tip: Pull knob slightly away from door to see where screws insert.



E

Push up on knob while tightening screws to keep latch horizontal and centered.





exterior

Installed *Passage/Privacy knobs*, now proceed to [step 5](#)



For Privacy Locks **ONLY**

Your emergency tool may look different depending on your model.




align


4 Install Nonrotating knobs

A

Mark drill holes using the knob, then drill 1/8" (3 mm) 1/2" (13 mm) deep. (Screws may be positioned horizontal or vertical)




B




Installed *Nonrotating knob*, now proceed to [step 5](#)

4 Install Entry knobs




Installed *Entry knobs*, now proceed to [step 5](#)

5 Install strike to door frame




B Close door, test latch operation and make adjustments as needed:

If small bolt of latch enters strike hole, reposition strike.



If latch is loose in the strike, adjust the strike tab so it grips the latch bolt better when the door is closed.





Arroyo



Pismo



Sora


1 Adjust the backset of the latch (if needed)

- A Hold the latch in front of the door hole, with the latch face flush against the door edge.





- B If the latch holes are centered in the door hole, no adjustment is required. Proceed to step 2.

If the latch holes are **NOT** centered, adjust latch. See “Latch Adjustment” (step 1C).



- C Latch Adjustment (only if needed)

Move the pin to extend the latch.




2 Install latch




or



A




⚠ slant of latch bolt
faces door frame




door frame

B




A

Remove plates




B

Install drive-in
collar




C

Use hammer
and wood block
to tap in latch
without
damaging it.



⚠ slant of latch bolt
faces door frame




wood block

door frame


3 Install knobs

- A  Before you begin your installation, you **MUST** remove the interior knob.

Loosen the pre-installed set screw.




- B Press latch bolt to install exterior knob.




 **IMPORTANT:** If installing a passage lock on an entry door, make sure the knob with the screw holes is on the interior side of the door.


- C Install interior knob base.



- D If the interior base won't sit flush with the door surface, rotate turnbutton to align.




- E Insert screws and tighten by hand. (Screws may be positioned horizontal or vertical)




Tip: Pull knob slightly away from door to see where screws insert.


- F Push up on knob base while tightening screws to keep latch horizontal and centered.



- G Install knob.



Align holes on knob and knob base before tightening the pre-installed set screw.




Installed solid knob, now proceed to [step 4](#)

⚠ For Privacy Locks **ONLY**





Your emergency tool may look different depending on your model.



To unlock, insert emergency tool fully and push.





or




4 Install strike to door frame

A




B Close door, test latch operation and make adjustments as needed:

If small bolt of latch enters strike hole, reposition strike.



If latch is loose in the strike, adjust the strike tab so it grips the latch bolt better when the door is closed.



SmartKey Rekeying Instructions



SMARTKEY SECURITY™

ONE KEY FOR ALL YOUR LOCKS™

The lock you can
re-key yourself in
seconds for any
situation, including:

Easily re-key
yourself

Reset tool
goes here



WITH PROTECTION AGAINST
ADVANCED BREAK-IN TECHNIQUES



**Recently
Moved**



**Lost
Keys**



**Multiple
Doors**



**Carry
Less Keys**

For rekeying instructions, you can also visit:

<https://www.kwikset.com/support/answers/how-to-re-key-your-smartkey-security-locks>

If you have any issues, please visit our
support center: [kwikset.com/support](https://www.kwikset.com/support)
or call us at 1-800-327-5625.



WARNING: This Manufacturer advises that no lock can provide complete security by itself. This lock may be defeated by forcible or technical means, or evaded by entry elsewhere on the property. No lock can substitute for caution, awareness of your environment, and common sense. Builder's hardware is available in multiple performance grades to suit the application. In order to enhance security and reduce risk, you should consult a qualified locksmith or other security professional.